

Date of issue: 09/04/2018

Revision date:

WOODZONE DUAL PURPOSE F/I CONCENTRATE

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product form Mixture
Product name Woodzone Dual Purpose F/I Concentrate

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant identified uses

Intended for general public

Main use category Professional use, Consumer use

Use of the Substance/mixture Wood preservatives.

1.2.2 Uses advised against

No additional information available

1.3 Details of the supplier of the safety data sheet

Triton Systems

Units 3-5 Crayford Commercial Centre, Greyhound Way

Crayford, Kent DA1 4HF

Tel: 01322 318830 Fax: 01322 524017

Info@tritonsystems.co.uk - www.tritonsystems.co.uk

1.4 Emergency telephone number

Emergency number: +44 (0) 1322 318830 (0900 – 1700 UK time)

2. HAZARD IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4	H302
Acute toxicity (inhalation: dust, mist), Category 4	H332
Skin corrosion/irritation, Category 2	H315
Serious corrosion/irritation, Category 1	H318
Skin sensitisation, Category 1	H317
Specific target organ toxicity – Repeated Exposure, Category 2	H373
Hazardous to the aquatic environment – Acute Hazard, Category 1	H400
Hazardous to the aquatic environment – Chronic Hazard, Category 1	H410

Full text of hazard classes and H-statements: See section 16

Adverse physicochemical, human health and environmental effects:

May cause damage to organs through prolonged or repeated exposure. Harmful if inhaled. Harmful if swallowed. Causes skin irritate. May cause an allergic skin reaction. Causes serious eye damage. Very toxic to aquatic life with long lasting effects.

2.2 Label Elements:

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP):



GHS05



GHS07



GHS08



GHS09



Signal word (CLP):	Danger
Hazardous ingredients:	Permethrin (ISO), m-phenoxybenzyl 3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate; 3-Iod-2-propinylbutyl-carbamate; Propiconazole (ISO), (±)-1-[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-ylmethyl]-1H-1,2,4-triazole; SODIUM C10-13 ALKYL BENZENESULFONATE
Hazard statements (CLP):	H302+H332 – Harmful if swallowed or if inhaled. H315 – Causes skin irritation. H317 – May cause an allergic skin reaction. H318 – Causes serious eye damage. H373 – May cause damage to organs through prolonged or repeated exposure. H410 – Very toxic to aquatic life with long lasting effects.
Precautionary statements:	P102 – Keep out of reach of children. P260 – Do not breath fume, mist, spray, vapours. P280 – Wear eye protection, protective clothing, protective gloves. P301+P312 – IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell. P302+P352 – IF ON SKIN: Wash with plenty of water. P304+P340 – IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 – Immediately call a POISON CENTRE or doctor. P501 – Dispose of contents to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Security closing plug for children:	Not applicable.
Tactile warning:	Applicable.

2.3 Other hazards:

No additional information available.

3. COMPOSITION & INFORMATION ON INGREDIENTS**3.1 Substances**

Not applicable

3.2 Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Propiconazole (ISO), (±)-1-[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-ylmethyl]-1H,2,4-triazole	(CAS-No.) 60207-90-1 (EC-No.) 262-104-4 (EC Index-No.) 613-205-00-0	10-20	Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Permethrin (ISO), m-phenoxybenzyl 3-(2,2-dichlorovinyl)-2,2-Dimethylcyclopropanecarboxylate	(CAS-No.) 52645-53-1 (EC-No.) 258-067-9 (EC Index-No.) 613-058-00-2	10-20	Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=1000) Aquatic Chronic 1, H410 (M=1000)
SODIUM C10-13 ALKYL BENZENESULFONATE	(CAS-No.) 68411-30-3 (EC-No.) 270-115-0 (REACH-no.) 01-2119489428-22	10-20	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318
2-(2-BUTOXYETHOXY)ETHANOL	(CAS-No.) 112-34-5 (EC-No.) 203-961-6 (EC Index-No.) 603-096-00-8 (REACH-no.) 01-2119475104-44	1-10	Eye Irrit.2, H319
3-Iod-2-propinylbutyl-carbamate	(CAS-No.) 55406-53-6 (EC-No.) 259-627-5 (EC Index-No.) 616-212-00-7	1-10	Acute Tox. 4 (Inhalation), H331 Acute Tox. 4 (Oral), H302 STOT RE 1, H372 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410

Full text of H-statements: See section 16



4. FIRST AID MEASURES

4.1 Description of First Aid Measures

First aid measures general:	Call a poison centre or a doctor if you feel unwell.
First aid measures after inhalation:	Remove person to fresh air and keep comfortable for breathing. Call a poison centre or doctor if you feel unwell.
First aid measures after skin contact:	Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs; Get medical advice/attention.
First aid measures after eye contact:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First aid measures after ingestion:	Rinse mouth. Call a poison centre or a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact:	Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact:	Serious damage to eyes.

4.3 Indication of any immediate medical attention and special treatment needed

Treat Symptomatically.

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media:	Use extinguishing media appropriate for surrounding fire.
--------------------------------------	---

5.2 Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire:	Toxic fumes may be released.
--	------------------------------

5.3 Advice for firefighters

Protecting during firefighting:	Do not attempt to take action without suitable protect equipment. Self-contained breathing apparatus. Complete protective clothing.
--	---

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

Emergency procedures:	Ventilate spillage area. Avoid breathing fume, mist, spray, vapours. Avoid contact with skin and eyes.
------------------------------	--

6.1.2 For emergency responders

Protective equipment:	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
------------------------------	---

6.2 Environmental precautions:

Avoid release to the environment.

6.3 Methods and material for containment and cleaning up

For containment:	Collect spillage.
Methods for cleaning up:	Take up liquid spill into absorbent material
Other information:	Dispose of materials or solid residues at an authorised site.

6.4 Reference to other sections

For further information refer to section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Precautions for safe handling:	Do not breathe fume, mist, spray, vapours. Use only outdoors or in a well-ventilated area. Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiene measures:	Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions Store in a well-ventilated place. Keep cool.

7.3 Specific end use(s)

No additional information available.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION
8.1 Control parameters

2-(2-BUTOXYETHOXY)ETHANOL (112-34-5)		
United Kingdom	Local name	2-(2-Butoxyethoxy)ethanol
United Kingdom	WEL TWA (mg/m ³)	67.5 mg/m ³
United Kingdom	WEL TWA (ppm)	10 ppm
United Kingdom	WEL STEL (mg/m ³)	101.2 mg/m ³
United Kingdom	WEL STEL (ppm)	15 ppm

8.2 Exposure controls

- Appropriate engineering controls:** Ensure good ventilation of the work station.
- Personal protective equipment:** Avoid all unnecessary exposure. Gloves. Safety glasses. Protective clothing.
- Materials for protective clothing:** Wear suitable protective clothing.
- Hand protection:** Protective gloves.
- Eye protection:** Safety glasses.
- Skin and body protection:** Wear suitable protective clothing.
- Respiratory protection:** Wear respiratory protection.
- Personal protective equipment symbols(s):**



Environmental exposure controls: Avoid release to the environment.

9. PHYSICAL AND CHEMICAL PROPERTIES
9.1 Information on basic physical and chemical properties

- Physical state:** Liquid
- Appearance:** Viscous liquid
- Colour:** Pale yellow
- Odour:** Characteristic
- Odour threshold:** No data available
- pH:** No data available
- Relative evaporation rate (butylacetate=1):** No data available
- Melting point:** Not applicable
- Freezing point:** No data available
- Boiling point:** No data available
- Flash point:** No data available
- Auto-ignition temperature:** No data available
- Decomposition temperature:** No data available
- Flammability (solid, gas):** No data available
- Vapour pressure:** No data available
- Relative vapour density at 20°C:** No data available
- Relative density:** No data available
- Solubility:** No data available
- Log Pow:** No data available



Viscosity, kinematic:	No data available
Viscosity, dynamic:	No data available
Explosive properties:	No data available
Oxidising properties:	No data available
Explosive limits:	

9.2 Other information

No additional information available

10. STABILITY AND REACTIVITY

10.1 Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4 Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5 Incompatible materials

No additional information available.

10.6 Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. TOXICOLOGICAL INFORMATION

Acute toxicity: Oral: Harmful if swallowed. Inhalation: dust, mist: Harmful if inhaled.

ATE CLP (oral)	1004.7371495979 mg/kg bodyweight
ATE CLP (dust, mist)	4.5801526718 mg/l/4h

2-(2-BUTOXYETHOXY)ETHANOL (112-34-5)

LD50 oral	5660 mg/kg bodyweight
LD50 dermal	2764 mg/kg bodyweight
LC50 inhalation rat (Dust/Mist – mg/l/4h)	> 196 mg/l

SODIUM C10-13 ALKYL BENZENESULFONATE (68411-30-3)

LD50 oral	1080 mg/kg bodyweight
LD50 dermal	> 2000 mg/kg bodyweight

Skin corrosion/irritation:	Causes skin irritation.
Serious eye damage/irritation:	Causes serious eye damage.
Respiratory or skin sensitisation:	May cause an allergic skin reaction.
Germ cell mutagenicity:	Not classified.
Carcinogenicity:	Not classified.
Reproductive toxicity:	Not classified.
STOT-single exposure:	Not classified.
STOT-repeated exposure:	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard:	Not classified.

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Ecology – general: Very toxic to aquatic life with long lasting effects.

2-(2-BUTOXYETHOXY)ETHANOL (112-34-5)

LC50 fish 1	1300 mg/l
EC50 other aquatic organisms 1	> 1000 mg/l waterflea
EC50 other aquatic organisms 2	> 100 mg/l

SODIUM C10-13 ALKYL BENZENESULFONATE (68411-30-3)

LC50 fish 1	1.67mg/l
EC50 other aquatic organisms 1	2.9 mg/l waterflea
EC50 other aquatic organisms 2	127.9 mg/l

12.2 Persistence and degradability

No additional information available

12.3 Bioaccumulative potential

2-(2-BUTOXYETHOXY)ETHANOL (112-34-5)

Log Pow	0.56
---------	------

SODIUM C10-13 ALKYL BENZENESULFONATE (68411-30-3)

Log Pow	3.32
---------	------

12.4 Mobility in soil

No additional information available

12.5 Results of PBT and vPvB assessment

No additional information available.

12.6 Other adverse effects

No additional information available.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Waste treatment methods: Dispose of contents /container in accordance with licensed collector's sorting instructions.

Ecology – waste materials: Avoid release to the environment.

14. TRANSPORT INFORMATION

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1 UN number				
3082	3082	3082	3082	3082
14.2 UN proper shipping name				
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Propiconazole (ISO), (±)-1-[2-(2,4-dichlorophenyl)4-propyl-1,3-dioxolan-2-ylmethyl]-1H-1,2,4-triazole)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Propiconazole (ISO), (±)-1-[2-(2,4-dichlorophenyl)4-propyl-1,3-dioxolan-2-ylmethyl]-1H-1,2,4-triazole)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Propiconazole (ISO), (±)-1-[2-(2,4-dichlorophenyl)4-propyl-1,3-dioxolan-2-ylmethyl]-1H-1,2,4-triazole)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Propiconazole (ISO), (±)-1-[2-(2,4-dichlorophenyl)4-propyl-1,3-dioxolan-2-ylmethyl]-1H-1,2,4-triazole)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Propiconazole (ISO), (±)-1-[2-(2,4-dichlorophenyl)4-propyl-1,3-dioxolan-2-ylmethyl]-1H-1,2,4-triazole)
Transport document description				
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Propiconazole (ISO), (±)-1-[2-(2,4-dichlorophenyl)4-propyl-1,3-dioxolan-2-ylmethyl]-1H-1,2,4-triazole), 9, III, (E)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Propiconazole (ISO), (±)-1-[2-(2,4-dichlorophenyl)4-propyl-1,3-dioxolan-2-ylmethyl]-1H-1,2,4-triazole), 9, III, MARINE POLLUTANT	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Propiconazole (ISO), (±)-1-[2-(2,4-dichlorophenyl)4-propyl-1,3-dioxolan-2-ylmethyl]-1H-1,2,4-triazole), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Propiconazole (ISO), (±)-1-[2-(2,4-dichlorophenyl)4-propyl-1,3-dioxolan-2-ylmethyl]-1H-1,2,4-triazole), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Propiconazole (ISO), (±)-1-[2-(2,4-dichlorophenyl)4-propyl-1,3-dioxolan-2-ylmethyl]-1H-1,2,4-triazole), 9, III
14.3 Transport hazard class(es)				
9	9	9	9	9
14.4 Packing group				
III	III	III	III	LII
14.5 Environmental hazards				
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes
No supplementary information available				

14.6 Special precautions for user

- Overland transport

Classification code (ADR):	M6
Special provisions (ADR):	274, 335, 601, 375
Limited quantities (ADR):	5I
Excepted quantities (ADR):	E1
Packing instructions (ADR):	P001, IBC03, LP01, R001
Mixed packing provisions (ADR):	MP19



Portable tank and bulk container Instructions (ADR):	T4		
Portable tank and bulk container Special provisions (ADR):	TP1, TP29		
Tank code (ADR):	LGBV		
Vehicle for tank carriage:	AT		
Transport category (ADR):	3		
Special provisions for carriage – Packages (ADR):	V12		
Special provisions for carriage – loading, unloading and handling (ADR):	CV13		
Hazard identification number (Kemler No.):	90		
Orange plates:	<table border="1"><tr><td>90</td></tr><tr><td>3082</td></tr></table>	90	3082
90			
3082			
Tunnel restriction code (ADR):	E		
- Transport by sea			
Special provisions (IMDG):	274, 335, 969		
Limited quantities (IMDG):	5 L		
Excepted quantities (IMDG):	E1		
Packing instructions (IMDG):	P001, LP01		
Special packing provisions (IMDG):	PP1		
IBC packing instructions (IMDG):	IBC03		
Tank Instructions (IMDG):	T4		
Tank special provisions (IMDG):	TP2, TP29		
EmS-No. (Fire):	F-A		
EmS-No (Spillage):	S-F		
Stowage category (IMDG):	A		
- Air transport			
PCA Excepted quantities (IATA):	E1		
PCA Limited quantities (IATA):	Y964		
PCA limited quantity max net quantity (IATA):	30kgG		
PCA packing instructions (IATA):	964		
PCA max net quantity (IATA):	450L		
CAO packing instructions (IATA):	964		
CAO max net quantity (IATA):	450L		
Special provisions (IATA):	A97, A158, A197		
ERG code (IATA):	9L		
-inland waterway transport			
Classification code (ADN):	M6		
Special provisions (ADN):	274, 335, 375, 601		
Limited quantities (ADN):	5 L		
Excepted quantities (ADN):	E1		
Carriage permitted (ADN):	T		
Equipment required (ADN):	PP		
Number of blue cones/lights (ADN):	0		
-Rail transport			
Classification code (RID):	M6		
Special provisions (RID):	274, 335, 375, 601		
Limited quantities (RID):	5 L		
Excepted quantities (RID):	E1		
Packing quantities (RID):	P001, IBC03, LP01, R001		
Special packing provisions (RID):	PP1		
Mixed packing provisions (RID):	MP19		
Portable tank and bulk container Instructions (RID):	T4		
Portable tank and bulk container Special provisions (RID):	TP1, TP29		
Tank codes for RID tanks (RID):	LGBV		
Transport category (RID):	3		
Special provisions for carriage – Packages (RID):	W12		
Special provisions for carriage – loading, unloading and handling (RID):	CW13, CW31		
Colis express (express parcels) RID:	CE8		
Hazard identification number (RID):	90		

**14.7 Transport in bulk according to Annex II of Marpol and the IBC Code**

Not applicable

15. REGULATORY INFORMATION**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****15.1.1 EU-Regulations**

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

3.Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 199/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex 1 to Regulation (EC) No. 1272/2008	Permethrin (ISO), m-phenoxybenzyl 3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate - 3-Iod-2-propinylbutyl-carbamate - 2-(2-BUTOXYETHOXY)ETHANOL - Propiconazole (ISO), (+)-1-2[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-ylmethyl]-1H-1,2,4-triazole -
3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	Woodzone Insecticide Concentrate - permethrin (ISO), m-phenoxybenzyl 3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate - 3-Iod-2-propinylbutyl-carbamate - 2-(2-BUTOXYETHOXY)ETHANOL - Propiconazole (ISO), (+)-1-2[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-ylmethyl]-1H-1,2,4-triazole -
3(c) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	Woodzone Insecticide Concentrate - permethrin (ISO), m-phenoxybenzyl 3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate - 3-Iod-2-propinylbutyl-carbamate - 2-(2-BUTOXYETHOXY)ETHANOL - Propiconazole (ISO), (+)-1-2[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-ylmethyl]-1H-1,2,4-triazole -
55. 2-(2-Butoxyethoxy)ethanol (DEGBE)	2-(2-BUTOXYETHOXY)ETHANOL

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2 National regulations

No additional information available

15.2 Chemical safety assessment

No chemical safety assessment has been carried out

16. OTHER INFORMATION

Full text of H- and EUH statements:

Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox 4. (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox.4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Inhalation:dust, mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT RE 1	Specific target organ toxicity - Repeated exposure, Category 1
STOT RE 2	Specific target organ toxicity - Repeated exposure, Category 2
H302	Harmful if swallowed
H312	Harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H331	Toxic if inhaled
H332	Harmful if inhaled
H372	Causes damage to organs through prolonged or repeated exposure
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

SDS EU (REACH Annex II)

The information provided in this safety data sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information provided is designed only as guidance for safe use, processing, handling, storage, transport, release and disposal. It is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for use in combination with any other materials or in any process, unless specified in this safety data sheet.